



We lead. Others follow.

September 19th, 2014

Dave Thompson  
JJ CCR  
Dyrlewej 11  
4720 Presto  
Denmark

RE: Review and approval of TDI CCR standards

Dear Dave,

Over the years Technical Diving International, TDI has enjoyed the working relationship we have formed with you. At each step along the way, TDI has been completely transparent in our training standards along with the material development process and changes. During this time we have always kept you informed and we greatly appreciate your feedback, comments, and continued support. TDI would like to continue and renew this process.

Along with this letter you will find the TDI CCR standards for diver and instructor at the following levels:

- Air Diluent
- Air Diluent Decompression
- Helitrox
- Mixed Gas
- Advanced Mixed Gas

If you approve of the TDI CCR standards as they are, please sign and date this letter in the space provided and return it back to me. If you have any questions or comments please do not hesitate to ask, I would be happy to clarify or address.

Sincerely,

*Sean R. Harrison*



We lead. Others follow.

Sean Harrison Senior Vice President

I, DAVID THOMPSON of (company name) JJ-CCR  
have reviewed the diver and instructor minimum training standards provided by TDI at the  
following levels:

- Air Diluent
- Air Diluent Decompression
- Mixed Gas
- Advanced Mixed Gas

I approve the standards as provided to me for training on rebreathers manufactured by  
(company name) JJ-CCR.

Signature

*D Thompson*

Name

DAVID THOMPSON

Date

22-9-2014